

MUDr. Milan Kubek
Prezident České lékařské komory
prezident@clkcr.cz

Vážený pane prezidente,

obracím se Vás jako členka České lékařské komory s žádostí o vysvětlení a zdůvodnění Odborného stanoviska Vědecké rady ČLK k porodům v domácnosti uveřejněném ve Zdravotnických novinách 9.3.2012, jehož závěrem je prohlášení: „Plánovaný porod mimo zdravotnické zařízení je postupem v rozporu se současnými dostupnými poznatky lékařské vědy, tedy postupem „non lege artis“.

Stanovisko ČLK je zcela v rozporu se závěry všech mně známých zahraničních vědeckých studií týkajících se srovnání porodu mimo zdravotnické zařízení a porodu ve zdravotnickém zařízení (viz odkazy v příloze). Je v rozporu i s doporučením Světové zdravotnické organizace vypracovaném v souladu se závěry výše zmíněných zahraničních studií a žádné české studie týkající se této problematiky nejsou dostupné. Ráda bych tedy věděla, na základě jakých současně dostupných vědeckých poznatků lékařské vědy Vědecká rada ČLK toto stanovisko vydala.

Děkuji.

S přátelským pozdravem

MUDr. Jana Tomasová Studýnková, PhD.
členka ČLK, obvodní sdružení Praha 28

Příloha:

1. Ackermann-Liebrich U, Voegeli T, Gunter-Witt K, Kunz I, Zullig M, Schindler C, et al. Home versus hospital deliveries: follow up study of matched pairs for procedures and outcome. Zurich Study Team. *BMJ* 1996; 313: 1313-8
2. Acton, K: The birth centre model: as good as it gets? *British Journal of Midwifery* Oct. 2007, Vol. 15 Issue 10, p. 602
3. Bastian H., Keirse M.J.N.C, Paul A L Lancaster P.A.L.: Perinatal death associated with planned home birth in Australia: population based study. *BMJ* 1998; vol. 317:384–8
4. Birthplace in England Collaborative Group.: Perinatal and maternal outcomes by planned place of birth for healthy women with low risk pregnancies: the Birthplace in England national prospective cohort study. *BMJ*. 2011 Nov 23;343:d7400. doi: 10.1136/bmj.d7400.
5. Chamberlain G, Wraight A, Crowley P.: Birth at home. *Pract Midwife*. 1999, Jul-Aug, 2(7), 35-9

6. Ekele, B. A.; Tunau, K. A.: Place of delivery among women who had antenatal care in a teaching hospital. *Acta Obstetrica et Gynecologica Scandinavica*, May 2007, Vol. 86 Issue 5, pp. 627-630
7. Gosline, A.: Extreme childbirth. *New Scientist*; 2007, 193, 2585, p. 40-43
8. Hildingsson I, Waldenström U., Radestad , I.: Swedish Women's Interest in Home Birth and In-Hospital Birth Center Care. *Birth. Issues in Perinatal Care*; Mar. 2003, Vol. 30 Issue 1, p.11-22
9. Islam, M. Ataharul; Chowdhury, Rafiqul I.; Akhter, Halida H.: Complications During Pregnancy, Delivery, and Postnatal Stages and Place of Delivery in Rural Bangladesh. *Health Care for Women International*, Oct. 2006, Vol. 27 Issue 9, p807-821
10. Janssen PA, Saxell L, Page LA, Klein MC, Liston RM, Lee SK.: Outcomes of planned home birth with registered midwife versus planned hospital birth with midwife or physician. *CMAJ*. 2009 Sep 15;181(6-7):377-83
11. de Jonge A, van der Goes BY, Ravelli AC, Amelink-Verburg MP, Mol BW, Nijhuis JG, Bennebroek Gravenhorst J, Buitendijk SE.: Perinatal mortality and morbidity in a nationwide cohort of 529,688 low-risk planned home and hospital births. *BJOG*. 2009 Aug;116(9):1177-84
12. Johnson K. C., Daviss B. A.: Outcomes of planned home births with certified professional midwives: large prospective study in North America. *BMJ* 2005; 330: pp. 1416 – 1422
13. Ladfors L, Eriksson M., Mattson L.A., Kyleba C. K., Magnusson L., Milsom I.: A population based study of Swedish women's opinions about antenatal, delivery and postpartum care. *Acta Obstet Gynecol Scand* 2001; 80: pp. 130–136
14. Longworth, L.; Ratcliffe, J.; Boulton, M.: Investigating women's preferences for intrapartum care: home versus hospital births. *Health & Social Care in the Community*, Nov. 2001, Vol. 9, Issue 6, p. 404-413
15. Maimbolwa M. C., Yamba B., Diwan V., Ransjö-Arvidson A.: Cultural childbirth practices and beliefs in Zambia. *Journal of Advanced Nursing*; Aug. 2003, Vol. 43 Issue 3, pp. 263-274
16. Mayor, S.: NICE recommends women should choose where to give birth after discussing the risks. *BMJ: British Medical Journal*, 3/31/2007, Vol. 334 Issue 7295, pp. 654-654
17. Olsen O. Meta-analysis of the safety of home birth. *Birth* 1997;24:4-16
18. Pang J. W.Y., Heffelfinger J. D. Huang G. J., Benedetti TJ., Weiss, N. S.: Outcomes of planned home births in Washington State: 1989–1996. *Obstetrics & Gynecology*; Aug. 2002, Vol. 100 Issue 2, pp. 253 - 259
19. Ronsmans, C.; Etard, J. F.; Walraven, G.; Høj, L.; Dumont, A.; Bernis, L.; Kodio, B.: Maternal mortality and access to obstetric services in West Africa. *Tropical Medicine & International Health*, Oct2003, Vol. 8 Issue 10, pp. 940-948

20. Shaw, R., Kitzinger, C. : Calls to a home birth helpline: Empowerment in childbirth. *Social Science and medicine*; Dec. 2005, vol. 61, 11, pp. 2374 – 2383
21. Schramm, W.F., Barnes, D.E., Bakwell, J.M.: Neonatal Mortality in Missouri Home Births, 1978-84. *American Journal of Public Health* August 1987, Vol, 77, No, 8, pp. 930 - 935
22. van der Hulst, A. M. L.: Dutch midwives: relational care and birth location. *Health & Social Care in the Community*, Jul 1999, Vol. 7 Issue 4, pp. 242-247
23. van Teijlingen E.R. & van der Hulst L.A.M.: Midwifery in The Netherlands: more than a semi-profession? In: J. Johnson et al. (eds). *Health Professions and the State in Europe*, Routledge, London 1996, pp. 178 - 186